

Document Generated: 07/06/2026

Learning Style: Virtual Classroom

Technology: Linux Foundation

Difficulty: Intermediate

Course Duration: 4 Days

## Developing Applications For Linux (LFD401)



### About this course:

Learn how to develop applications for the Linux environment. In this course, you'll get hands-on experience with the necessary tools and methods for Linux application development and learn about the features and techniques that are unique to Linux.

This course is designed to help experienced developers get up to speed quickly on how to develop applications for a Linux environment.

The average salary of an Embedded Linux Developer is **\$107,500** per year.

## **Course Objective:**

In this course you'll learn:

- The tools and methods for developing C programs and doing systems programming under Linux.
- Debugging techniques and process management.
- Linux specific paid and system calls.
- And more.

The information in this course will work with any major Linux distribution.

## **Audience:**

- App Developers
- C/C++, C# developers
- Linyx Developers

## **Prerequisite:**

- This course is for experienced developers. Students should be proficient in C programming, and be familiar with basic Linux utilities and text editors.

## **Course Outline:**

### **Introduction**

- Objectives
- Who You Are
- The Linux Foundation
- Linux Foundation Training
- Linux Distributions
- Platforms
- Preparing Your System
- Using and Downloading a Virtual Machine
- Things change in Linux
- Course Registration

### **Preliminaries**

- Procedures
- Standards and the LSB

## **How to Work in OSS Projects \*\***

- Overview on How to Contribute Properly
- Stay Close to Mainline for Security and Quality
- Study and Understand the Project DNA
- Figure Out What Itch You Want to Scratch
- Identify Maintainers and Their Work Flows and Methods
- Get Early Input and Work in the Open
- Contribute Incremental Bits, Not Large Code Dumps
- Leave Your Ego at the Door: Don't Be Thin-Skinned
- Be Patient, Develop Long Term Relationships, Be Helpful

## **Compilers**

- GCC
- Other Compilers
- Major gcc Options
- Preprocessor
- Integrated Development Environments (IDE)
- Labs

## **Libraries**

- Static Libraries
- Shared Libraries
- Linking To Libraries
- Dynamic Linking Loader
- Labs

## **Make**

- Using make and Makefiles
- Building large projects
- More complicated rules
- Built-in rules
- Labs

## **Source Control**

- Source Control
- RCS and CVS
- Subversion
- git
- Labs

## **Debugging and Core Dumps**

- gdb
- What are Core Dump Files?
- Producing Core Dumps
- Examining Core Dumps
- Labs

## **Debugging Tools**

- Electric Fence
- Getting the Time
- Profiling and Performance
- valgrind
- Labs

## **System Calls**

- System Calls vs. Library Functions
- How System Calls are Made
- Return Values and Error Numbers
- Labs

## **Memory Management and Allocation**

- Memory Management
- Dynamical Allocation
- Tuning malloc()
- Locking Pages
- Labs

## **Files and Filesystems in Linux \*\***

- Files, Directories and Devices
- The Virtual File System
- The ext2/ext3 Filesystem
- Journaling Filesystems
- The ext4/ Filesystem
- Labs

## **File I/O**

- UNIX File I/O
- Opening and Closing
- Reading, Writing and Seeking
- Positional and Vector I/O
- Standard I/O Library
- Large File Support (LFS)
- Labs

## **Advanced File Operations**

- Stat Functions
- Directory Functions
- inotify
- Memory Mapping
- flock() and fcntl()
- Making Temporary Files
- Other System Calls
- Labs

## **Processes – I**

- What is a Process?
- Process Limits
- Process Groups
- The proc Filesystem
- Inter-Process Communication Methods
- Labs

## **Processes – II**

- Using system() to Create a Process
- Using fork() to Create a Process
- Using exec() to Create a Process
- Using clone()
- Exiting
- Constructors and Destructors
- Waiting
- Daemon Processes
- Labs

## **Pipes and Fifos**

- Pipes and Inter-Process Communication
- popen() and pclose()
- pipe()
- Named Pipes (FIFOs)
- splice(), vmsplice() and tee()
- Labs

## **Asynchronous I/O\*\***

- What is Asynchronous I/O?
- The POSIX Asynchronous I/O API
- Linux Implementation
- Labs

## **Signals – I**

- What are Signals?
- Signals Available

- Dispatching Signals
- Alarms, Pausing and Sleeping
- Setting up a Signal Handler
- Signal Sets
- sigaction()
- Labs

## **Signals – II**

- Reentrancy and Signal Handlers
- Jumping and Non-Local Returns
- siginfo and sigqueue()
- Real Time Signals
- Labs

## **POSIX Threads – I**

- Multi-threading under Linux
- Basic Program Structure
- Creating and Destroying Threads
- Signals and Threads
- Forking vs. Threading
- Labs

## **POSIX Threads – II**

- Deadlocks and Race Conditions
- Mutex Operations
- Semaphores
- Futexes
- Conditional Operations
- Labs

## **Networking and Sockets**

- Networking Layers
- What are Sockets?
- Stream Sockets
- Datagram Sockets
- Raw Sockets
- Byte Ordering
- Labs

## **Sockets – Addresses and Hosts**

- Socket Address Structures
- Converting IP Addresses
- Host Information
- Labs

## **Sockets – Ports and Protocols**

- Service Port Information
- Protocol Information
- Labs

## **Sockets – Clients**

- Basic Client Sequence
- socket()
- connect()
- close() and shutdown()
- UNIX Client
- Internet Client
- Labs

## **Sockets – Servers**

- Basic Server Sequence
- bind()
- listen()
- accept()
- UNIX Server
- Internet Server
- Labs

## **Sockets – Input/Output Operations**

- write(), read()
- send(), recv()
- sendto(), recvfrom()
- sendmsg(), recvmsg()
- sendfile()
- socketpair()
- Labs

## **Sockets – Options**

- Getting and Setting Socket Options
- fcntl()
- ioctl()
- getsockopt() and setsockopt()
- Labs

## **Netlink Sockets\*\***

- What are netlink Sockets?
- Opening a netlink Socket
- netlink Messages
- Labs

## **Sockets – Multiplexing and Concurrent Servers**

- Multiplexed and Asynchronous Socket I/O
- select()
- poll()
- pselect() and ppoll()
- epoll
- Signal Driven and Asynchronous I/O
- Concurrent Servers
- Labs

## **Inter Process Communication**

- Methods of IPC
- POSIX IPC
- System V IPC\*\*
- Labs

## **Shared Memory**

- What is Shared Memory?
- POSIX Shared Memory
- System V Shared Memory\*\*
- Labs

## **Semaphores**

- What is a Semaphore?
- POSIX Semaphores
- System V Semaphores\*\*
- Labs

## **Message Queues**

- What are Message Queues?
- POSIX Message Queues
- System V Message Queues\*\*
- Labs

## **Closing and Evaluation Survey**

**\*\* These sections may be considered in part or in whole as optional. They contain either background reference material, specialized topics, or advanced subjects. The instructor may choose to cover or not cover them depending on classroom experience and time constraints.**

## **Credly Badge:**



## Display your Completion Badge And Get The Recognition You Deserve.

Add a completion and readiness badge to your LinkedIn profile, Facebook page, or Twitter account to validate your professional and technical expertise. With badges issued and validated by Credly, you can:

- Let anyone verify your completion and achievement by clicking on the badge
- Display your hard work and validate your expertise
- Display each badge's details about specific skills you developed.

Badges are issued by QuickStart and verified through Credly.

[Find Out More](#) or [See List Of Badges](#)